

**TECHNICAL BROCHURE**  
**N° 553700**

**CHEMICALS**

**AROMATIC AND ALICYCLIC SOLVENTS**

**INDUSTRIAL HEAVY AROMATIC**

This aromatic solvent is a mixture of mono-, di- and tri-alkylated aromatic compounds with aliphatic compounds.

It is a highly soluble clear liquid free from sediments.

**APPLICATIONS**

It is used in making solvents, agrochemicals and baked enamels (cars, refrigerators, washing machines).

**SPECIFICATIONS**

Analysis	Specifications	Methods
Appearance	Bright, clear liquid, free from foreign matter and sediments	Visual
Density at 15 °C (g/ml)	0.860-0.890	ASTM D4052
Distillation range (°C)	150-220	ASTM D850
Flash point (°C)	min. 38	ASTM D56
Colour (Pt/Co scale)	max. 40	ASTM D1209 / ASTM D5386
Acidity	Neutral	ASTM D847
Copper corrosion	Negative	ASTM D849
H <sub>2</sub> S-SO <sub>2</sub>	Negative	INS_-0006799
Aromatic hydrocarbons (vol %)	min. 95.0	INS_-0009916

**NOTE:** product without antistatic additives (typical conductivity < 25 pS/m).

August 2020 REV.: 01

This information is offered in good faith and meant only as a guide. The transformer or user will be, in each case, responsible for the processing conditions and the final use of the product. Freedom under patents, copyright and registered designs cannot be assumed.

Customer Service:

[asistencia.tecnica.quimica@ypf.com](mailto:asistencia.tecnica.quimica@ypf.com)

<https://www.ypf.com/productosyservicios/Paginas/Quimica.aspx>

